

HARNESSES

Sabelt®



TECHNICAL PARTNER
SCUDERIA FERRARI

FIA 8853-2016

GT / RALLY



WRC HARNESS



CCG632SRD



CCA622SRDLPM



CCA622SRDN1



CCA622SRUN1



CCA633SRUN



CCS632SRDN



CCS622SRUN



CCS633SRUN



FORMULA



F1 HARNESS



CCG832FSR



CCG622FSR



CCA622FRUN1



CCS622FRUN



CCS622FRUN1



SFI 16.1



CCS622SNUSFI



CCS533SNULLSFI



FIA 8854/98

GT / RALLY



CCA433SRDN



CCS433SRDN



CCS433SRUN



RACING NET

CFRN2008 **NEW**

CFRN2002



CFRN2003



ECE 16

CLUBMAN



CFCC4046 (no ECE)



CFCC904001NP_A



CFCC904070NP_B



CFCC904059NP_B




CFCC904005N_B




CFCC904002N_A



WINDOW NET



Z280988



Z280985



BUCKLES

**B1**

Tongues entry designed to simplify the driver fastening. Machined from solid aluminium.

**B5**

Tongues entry designed to simplify the driver fastening. Quick release with spring ejectors. 255 g

**B2**

With integrated crotch belt "T" type attachment. Aluminium. Patented buckle. 219 g

**B6**

Developed with Formula 1 Teams. Superlight buckle in machined from solid aluminium.

**B3**

For "Formula" safety belt developed in Formula 1. Aluminium. Protection for the lever. 192 g

**B4**

Buckle for 4 points safety belt. Aluminium. 184 g

**B7**

Developed for Endurance applications. 2019 and 2021 24h Le Mans winner. 266 g

**B8**

Latch buckle with leather pad and adjuster. 514 g

ADJUSTERS

**A9**

2" Quick release adjuster machined from solid aluminium. Developed in Formula1. 54 g

**A10**

2" Quick release adjuster machined from solid aluminium. Developed for double shoulder belt. 74 g

**A1**

Quick release adjuster for 3" webbing. Forged and anodized aluminium. 2021 24h Le Mans winner. 95 g

**A2**

Quick release adjuster for 2" webbing. Forged and anodized aluminium. 70 g

**A13**

Aluminium quick adjuster 2" with webbing guide. 2019 24h Le Mans winner. 78 g

**A16**

Lap strap tongue with integrated adjuster for 2" width webbing. Steel. 2021 24h Le Mans winner. 113 g

NEW

**A3**

Adjuster integrated to the buckle tongue designed for 2" webbing. Developed for GT/Endurance cars. Steel-aluminium. 2019 24h Le Mans winner. 123 g

**A4**

Adjuster for 2" webbing. Steel-aluminium. 113 g

**A5**

"America" adjuster for 3" webbing. Steel. 147 g

**A6**

"America" adjuster for 2" webbing. Steel. 94 g

**A14**

Ergal "Tribar" adjuster for 2" webbing. Steel. 46 g

**A7**

"Tribar" adjuster for 3" webbing. Steel. 110 g

**A8**

"Tribar" adjuster for 2" webbing. Steel. 80 g

**A12**

"Bufflug" steel adjuster. 63 g

**A11**

Steel "Stop" adjuster for 2" webbing. 24 g

**A15**

Ergal "Tribar" adjuster for 3" webbing. Steel. 64 g

FIXINGS

**F1**

Carabiner. Inox Steel. 24 g

**F2A**

Snap hook in combination with A7 or A8. Steel. 77 g

**F2B**

Sewn snap hook. Steel. 77 g

**F3A**

Fixing plate in combination with A7 or A8. Steel. 63 g

**F3B**

Sewn fixing plate. Steel. 63 g

**F4**

Sewn "P" type steel fixing plate. 47 g

**F5**

"Wrap around" fixing in combination with A7 or A8.

**F6**

"Sewn loop" fixing.

**F7**

Titanium double fixing plate for 2" webbing. For M8 screw. 38 g

**F8**

Small Sewn fixing plate. 45 g

**F9**

Small fixing plate. 44 g

**F10**

Double hole fixing plate. 38 g

**F11**

Sewn double hole fixing plate. 38 g

**F12**

X2 double hole fixing plate. 76 g

TONGUES

**T1**

Lap belt tongue with ergonomic bend. Steel. 32 g

**T2**

Shoulder belt tongue for 3" webbing. Steel. 30 g

**T3**

Shoulder belt tongue for 2" webbing. Steel. 23 g

**T4**

Titanium mini-tongue for CCG622FSR, CCG832FSR harnesses. 7 g

**T5**

Titanium tongue for E1 harnesses. 9 g

**T6**

Lap belt tongue with ergonomic bend. Titanium. 18 g

**T7**

Steel shoulder belt tongue +5 mm. 38 g

**T8**

Lap strap link. 86 g

**T9**

Left shoulder strap link. 69 g

**T10**

Right shoulder strap link. 69 g

**T11**

Crotch strap link. 57 g

OPTIONALS

**02**

Logo printed directly on the webbing in high grip material for FHR.

**04**

Closure velcro for adjustable straps.

**05**

Ergonomic handle.

**06**

Intercom or Drink System cord.

**07**

Velcro on upper shoulder belt.

**08**

Vintage logo

CCG632SRD

STANDARD FEATURES

GT/RALLY				GOLD	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
430	790	620	330	CCG632SRD	CCG632SND	CCG632SBD

CONFIGURATIONS ON DEMAND






CCA622SRDLPM

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CCA622SRDLPM	CCA622SNDLPM	CCA622SBDLPM

CONFIGURATIONS ON DEMAND






CCA622SRDN1

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CCA622SRDN1	CCA622SNDN1	CCA622SBDN1

CONFIGURATIONS ON DEMAND




CCA622SRUN1

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CCA622SRUN1	CCA622SNUN1	CCA622SBUN1



CONFIGURATIONS ON DEMAND




CCA633SRUN

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CCA633SRUN	CCA633SNUN	CCA633SBUN



CONFIGURATIONS ON DEMAND



CCS632SRDN

STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CCS632SRDN	CCS632SNDN	CCS632SBDN



CONFIGURATIONS ON DEMAND





CCS622SRUN

STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CCS622SRUN	CCS622SNUN	CCS622SBUN

CONFIGURATIONS ON DEMAND



CCS633SRUN

STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CCS633SRUN	CCS633SNUN	CCS633SBUN


CONFIGURATIONS ON DEMAND



CCG832FSR

STANDARD FEATURES

FORMULA					GOLD	FIA 8853-2016		
STANDARD MEASURES (mm)					STANDARD COLOURS/CODES			
A	B2	B3	C	D				
360	495+105	430	975 FULL Length	960 FULL Length	CCG832FSR	CCG832FSN		



CCG622FSR



STANDARD FEATURES

FORMULA				GOLD	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
360	370	975 FULL Length	960 FULL Length	CCG622FSR	CCG622FSN	


CONFIGURATIONS ON DEMAND





02



06



08





CCA622FRUN1

STANDARD FEATURES

FORMULA				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	700	530+120	1200	CCA622FRUN1	CCA622FNUN1	CCA622FBUN1

CONFIGURATIONS ON DEMAND





CCS622FRUN

STANDARD FEATURES

FORMULA				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	700	530+120	1200	CCS622FRUN	CCS622FNUN	CCS622FBUN

CONFIGURATIONS ON DEMAND





CCS622FRUN1

STANDARD FEATURES

FORMULA				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	320	400+120	950	CCS622FRUN1	CCS622FNUN1	CCS622FBUN1

CONFIGURATIONS ON DEMAND





CCA433SRDN

STANDARD FEATURES

SALOON - FOR KIT CAR "W"				SILVER	FIA 8854/98	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C				
480	450	130+610		CCA433SRDN	CCA433SNDN	CCA433SBDN


CONFIGURATIONS ON DEMAND



CCS433SRDN

STANDARD FEATURES

SALOON - FOR KIT CAR "C"				STEEL	FIA 8854/98	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C				
480	450	130+610		CCS433SRDN	CCS433SNDN	CCS433SBDN



CONFIGURATIONS ON DEMAND



CCS433SRUN

STANDARD FEATURES

SALOON				STEEL	FIA 8854/98	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C				
380	1700	560+120		CCS433SRUN	CCS433SNUN	CCS433SBUN



EYE BOLTS AND PLATES



407005_C
Standard eye-bolt diam. 7/16" UNF thread length 23 mm, 25 mm tot., 8.8.



CCM10023
Eye-bolt metric M10 x 1.5 thread length 23 mm, 8.8. Does not comply with FIA requirements.



CCM10017_A WESTFIELD
Eye-bolt 50 mm. long, 7/16", 8.8



CCM10016
Eye-bolt back plate 65 mm x 65 mm x 3 mm 7/16" UNF thread welded nut, 40 mm². Complies with FIA requirements.

PADS



Vep fabric shoulder cover. 75 mm (3") width. Velcro fastening.

475040	475020	475010



Vep fabric shoulder cover. 50 mm (2") width. Velcro fastening.

450040/S	450020/S	450010/S


COLORED GADGET KIT FOR ENDURANCE BUCKLES B1 TYPE



CCAC0104_KIT
Straps.
NEW



CCET0408_KIT
Stickers.
NEW



CFCC4046

SALOON

FIXING POINTS	4
HOMOLOGATION	NOT HOMOLOGATED
STANDARD COLOURS/CODES	
	CFCC4046
	CFCC2046
	CFCC1046

Available on demand buckle with switch for SBR sensor



AVAILABLE ON DEMAND



CFCC904001NP_A

SALOON

FIXING POINTS	4
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904001NP_A
	CFCC902001NP_A
	CFCC901001NP_A

Available on demand buckle with switch for SBR sensor



Pair of shoulder pads included.

CFCC904070NP_B

SALOON

FIXING POINTS	4
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904070NP_B
	CFCC902070NP_B
	CFCC901070NP_B

Available on demand buckle with switch for SBR sensor



Pair of shoulder pads included.



AVAILABLE ON DEMAND

CFCC904059NP_B

SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904059NP_B
	CFCC902059NP_B
	CFCC901059NP_B

Available on demand buckle with switch for SBR sensor



Pair of shoulder pads included.

CFCC904005N_B

SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904005N_B
	CFCC902005N_B
	CFCC901005N_B

Available on demand buckle with switch for SBR sensor



CFCC904002NP_A

SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
	CFCC904002NP_A
	CFCC902002NP_A
	CFCC901002NP_A

Available on demand buckle with switch for SBR sensor




Pair of shoulder pads included.

CCS622SNUSFI

STANDARD FEATURES

				STEEL	SFI 16.1	
STANDARD MEASURES (MM)				STANDARD COLOURS/CODES		
A	B	C	D			
440	1700	560+120	1080	CCS622SRUSFI	CCS622SNUSFI	CCS622SBUSFI


CONFIGURATIONS ON DEMAND





CCS533SNULLSFI

STANDARD FEATURES

				STEEL	SFI 16.1	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	770	CCS533SRULLSFI	CCS533SNULLSFI	CCS533SBULLSFI




CONFIGURATIONS ON DEMAND



CFRN2008

RACING NET

NEW




CODE	
ONE VERSION COMPLETE	CFRN2008
ONE VERSION TRIANGULAR ASSEMBLY WITH BUCKLE	CFRN2004
FRONT STRAP	CFRN2005

FIA APPROVED

MANUFACTURER: SABELT
MODEL: CFRN2008
HOM. NO: RN.025.21
FIA STANDARD: 8863-2013

CFRN2003

RACING NET




CODES	
LEFT VERSION	CFRN2003LH
RIGHT VERSION	CFRN2003RH

FIA APPROVED

MANUFACTURER: SABELT
MODEL: CFRN2003
HOM. NO: RN.015.18
FIA STANDARD: 8863-2013

CFRN2002

RACING NET



CODE	
ONE VERSION	CFRN2002

FIA APPROVED

MANUFACTURER: SABELT
MODEL: CFRN2002
HOM. NO: RN.020.20
FIA STANDARD: 8863-2013


Z280988

WINDOW NET

Professional window net.

- Quick release with push button
- Rollcage fixing clamps
- Tightening adjusters
- Rigid metal bars
- Polyester webbing

In compliance with Fia regulation.



Z280985

WINDOW NET

Professional window net

- Red webbing opening System
- Rollcage mounting
- Tightening adjusters
- Polyester webbing

In compliance with Fia regulation.

