

SEATS

Sabelt®

Sabelt®



OFFICIAL SUPPLIER

PORSCHE
MOTORSPORT

FIA 8862-2009

GT/RALLY/CIRCUIT

**GT-PRO**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

**GT-635**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

**GT-621**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L

CIRCUIT ONLY

**GT-PRO XL 6-POINT**

- Shell: CARBON
- Fixing: BRACKETS
- Size: XL

**GT-635**

- Shell: CARBON
- Fixing: BRACKETS/SLIDING TRACKS
- Size: M-L-XL

**GT-E**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M

SFI 39.1

NASCAR

**GT-910**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M

FIA 8855-2021 • NEW HOMOLOGATION

HEAD PROTECTION

**SPINE**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L-XL

NEW**GT-AM**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

NEW

FIA 8855-1999

HEAD PROTECTION

**X-PAD CARBON**

- Shell: CARBON
- Fixing: BRACKETS
- Size: L

**X-PAD RALLYCROSS**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

**X-PAD**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

**GT-PAD**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

**TAURUS**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

NO HEAD PROTECTION

**TITAN CARBON**

- Shell: CARBON
- Fixing: BRACKETS
- Size: L-XL

**TITAN**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: XL

**GT-3**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

**RACER DUO**

- Shell: STEEL TUBE
- Fixing: BRACKETS
- Size: L

CUSHIONS - TITAN / TAURUS



S1

Seatback cushion th. 20 mm

TITAN	RRTITAU002_A
TITAN MAX	RRTITAU003_A
TAURUS	RRTITAU002_A
TAURUS MAX	RRTITAU003_A



CS1

Lower cushion th. 20 mm

TITAN	RRTITAU004_A
TITAN MAX	RRTITAU007_A
TAURUS	RRTITAU004_A
TAURUS MAX	RRTITAU007_A



CS2

Lower cushion th. 40 mm

TITAN	RRTITAU005_A
TITAN MAX	RRTITAU008_A
TAURUS	RRTITAU005_A
TAURUS MAX	RRTITAU008_A



CS3

Lower cushion th. 50 mm

TITAN	RRTITAU006_A
TITAN MAX	RRTITAU009_A
TAURUS	RRTITAU006_A
TAURUS MAX	RRTITAU009_A



PG1

Leg cushion th. 40 mm

TITAN	RRTITAU010_A
TITAN MAX	RRTITAU012_A
TAURUS	RRTITAU010_A
TAURUS MAX	RRTITAU012_A



PG2

Leg cushion th. 50 mm

TITAN	RRTITAU011_A
TITAN MAX	RRTITAU013_A
TAURUS	RRTITAU011_A
TAURUS MAX	RRTITAU013_A



CPR

Lower back support

RRTITAU014_A



CL

Lumbar support

RRTITAU001_A

CUSHIONS - GT-PRO / GT-AM



S3

Seatback cushion th. 20 mm

RRGTPR00014

NEW



CS5

Seat cushion

th. 20 mm	RRGTPR00016
th. 40 mm	RRGTPR00040

NEW



CS4

Leg cushion

th. 20 mm	RRGTPR00015
th. 40 mm	RRGTPR00045

NEW



S2

Size pads

th. 10 mm	RRGTPR00041
th. 20 mm	RRGTPR00042
th. 25 mm	RRGTPR00043
th. 30 mm	RRGTPR00044

NEW

SET



KF

Seat cover kit.

GT-621 Size M	RRGT621019
GT-621 Size L	RRGT621020
GT-625 Size L	RRGT625018
GT-635 Size M	RRGT635015
GT-635 Size L	RRGT635016
GT-635 Size XL	RRGT635017



KFP

Seat cover kit with bezels.

TITAN	RRTITAN021
TITAN MAX	RRTITAN022
TITAN CARBON	RRTITCAR026
TITAN MAX CARBON	RRTITCAR027
TAURUS M	RRTAURUS023
TAURUS	RRTAURUS024
TAURUS MAX	RRTAURUS025

HARNESS SLOT



KP1

Bezels for 8855 seats.

RCB00009 - RCB00010



KP2

Bezels for 8855 seats.

RCB00007 - RCB00008



MP

Bezel for GT-635 and GT-625.

RCB00011

INDI SEAT - Sabelt Official Distributor



Inner seat customization kit

RCIM0002

NEW

FIXING FRAMES



F1
Steel brackets, th. 3mm, in compliance with FIA.
Z200087_A



F2
Aluminium brackets, th. 5 mm, in compliance with FIA.
Z20005_C



F3
Sliding tracks, travel 230 mm. No FIA.
Z200002_A



F4
Steel brackets for GT-635, Fia homologated. Bolts included.
Note: Specify the seat size during the order.
RCST635FIX



F5
Sliding tracks for GT-635. FIA Homologated. Bolts included.
Size M: **RCST635SLIDINGM**
Size L/XL: **RCST635SLIDINGXL**



F6
Steel brackets for GT-621, FIA homologated. Bolts included.
XRFST0007



F8
Brackets for GT-PRO M. FIA Homologated. Bolts included.
RFST0025



F10
Steel brackets for GT-E, FIA homologated. Bolts included.
RCST0005




F11 **NEW**
Brackets for GT-PRO XL. FIA Homologated. Bolts included.
RFST0032 - RFST0033 - RFST0036
RFST0038 - RFST0047



F 12 **NEW**
Steel bracket for 8855-2021 homologated seats. Bolts included.
RFST0051

LEGEND SEAT DIMENSIONS CHART

SHELL DIMENSIONS (mm)




A	Length
B	Height
C	External shoulder width
D	External lower frontal width
E	External lower rear width
F	Lateral interaxis distance
📏	Shell weight (kg)

INTERNAL SEAT DIMENSIONS (mm)



G	Rear lower cushion width
H	Frontal lower cushion width
I	Internal shoulder width
L	Central seatback width
M	Internal head protection width
N	Central bezel height
👤	Seat weight (kg)

SEAT FLOOR FIXING INTERAXIS



8862-2009

GTPRO															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F8	RFST0025	58,5	20	105	22	428,5	435,5	406,5	40	M8	8	12,9	M12	4	12,9
	RFST0028	73		119,5	22,5	416	448	406,5	40	M8	8	12,9	M12	4	12,9
F11	RFST0032	67,5	30	84,5	60	475,4	488,4	401	59	M8	8	12,9	M12	4	12,9
	RFST0033	127	30	144	60	475,4	488,4	401	59	M8	8	12,9	M12	4	12,9
	RFST0036	94	/	124,5	23	418,5	445	406,5	40	M8	8	12,9	M12	4	12,9
	RFST0038	50,5	20	84	20	473	483	391,8	40	M8	8	12,9	M12	4	12,9
	RFST0047	90,5	20	124	40	472,7	482,5	391,8	40	M8	8	12,9	M12	4	12,9

GT-635 M e XL															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F4	RFST0011	106	18	146	34	432		406,5	40	M8	8	12,9	M12	4	12,9
F5	RFST635M_LA RFST635XL_LA	106	18	146	34	432		406,5		M8	8	12,9	M12	4	12,9

GT-621															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F6	XRFST0007	26,7	18,5	109,5	17	484	499,7	380	/	M10	4	MIN 10.9	M12	4	12,9

GTE															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F10	RCST0005	170,5	20	160	20	479	/	382,5	50	M12	4	12,9	M12	4	12,9

8855-2021

SPINE															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F12	RFST0051	125,5	80	136	75,5	419	438,5	453	120	M10	4	12,9	M12	4	12,9

GT-AM															
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	CHASSIS FIXING			SEAT FIXING		
										SCREW	Q.TY	STRENGTH CLASS	SCREW	Q.TY	STRENGTH CLASS
F12	RFST0051	125,5	80	136	75,5	413	429	453	120	M10	4	12,9	M12	4	12,9

8855-1999

X-PAD														
		CONFIG.	A1(mm)	A2 (mm)	B1(mm)	B2 (mm)	FR(mm)	RR(mm)	X1(mm)	X2 (mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	356	349	329,5	36	M8	4	M8	4
	Z200087_C	B	70,5	54	72	72	444	438	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	348	343,4	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	456	447,6	324	34	M8	4	M8	4

GT-PAD														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	426	418	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	518	508	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	422	415	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	534	518	324	34	M8	4	M8	4

TAURUS M														
		CONFIG.	A1(mm)	A2 (mm)	B1(mm)	B2 (mm)	FR(mm)	RR(mm)	X1(mm)	X2 (mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	352,6	335,3	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	441,8	424,5	329,5	36	M8	4	M8	4
F2	Z20005.C	A	63	79,5	63	79,5	345,2	329,9	324	34	M8	4	M8	4
	Z20005.C	B	63	79,5	63	79,5	453,2	433,9	324	34	M8	4	M8	4

TAURUS L														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	358,8	350,7	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	448	439,9	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	351,4	345,3	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	459,4	449,3	324	34	M8	4	M8	4

TAURUS XL														
		CONFIG.	A1(mm)	A2 (mm)	B1(mm)	B2 (mm)	FR(mm)	RR(mm)	X1(mm)	X2 (mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	381,5	350,7	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	470,7	439,9	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	374,1	345,3	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	482,1	449,3	324	34	M8	4	M8	4

TITAN XL														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	382,3	373,9	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	471,5	463,1	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	374,9	368,5	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	482,9	472,5	324	34	M8	4	M8	4

GT-3														
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	FR(mm)	RR(mm)	X1(mm)	X2(mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	390,1	374,2	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	479,3	463,4	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	382,7	368,8	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	490,7	472,8	324	34	M8	4	M8	4


RACER DUO														
		CONFIG.	A1(mm)	A2 (mm)	B1(mm)	B2 (mm)	FR(mm)	RR(mm)	X1(mm)	X2 (mm)	CHASSIS FIXING		SEAT FIXING	
											SCREW	Q.TY	SCREW	Q.TY
F1	Z200087_A	A	70,5	54	72	72	381,8	380,4	329,5	36	M8	4	M8	4
	Z200087_A	B	70,5	54	72	72	471	469,6	329,5	36	M8	4	M8	4
F2	Z20005_C	A	63	79,5	63	79,5	374,4	375	324	34	M8	4	M8	4
	Z20005_C	B	63	79,5	63	79,5	482,4	479	324	34	M8	4	M8	4

GT-PRO

8862-2009

GT/RALLY/CIRCUIT

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	825	795	
B	770	770	
C	625	644	
D	443	482	
E	389	427	
F	340	340	
Ⓜ	8,5	9,3	
INTERNAL SEAT DIMENSIONS (mm)			
G	302	325	340
H	343	335	350
I	430	440	450
L	321	340	370
M	328	330	330
N	512	512	512
Ⓜ	10,1	11,2	11,2



FIXING BRACKETS




F8



F11

FLOOR FIXING



SEE SCHEME ON PAGE 68



• Size: **M**

• Cod: **RFSEGTPROPADM**

 **APPROVED**

MANUFACTURER: SABELT
MODEL: GT-PRO M
HOM. NO: AS.081.19
FIA STANDARD: 8862-2009

• Size: **L**

• Cod: **RFSEGTPROPADL**

 **APPROVED**

MANUFACTURER: SABELT
MODEL: GT-PRO XL
HOM. NO: AS.086.20
FIA STANDARD: 8862-2009

• Size: **XL**

• Cod: **RFSEGTPROPADXL**


 **APPROVED**

MANUFACTURER: SABELT
MODEL: GT-PRO XL
HOM. NO: AS.086.20
FIA STANDARD: 8862-2009

GT-635

CIRCUIT ONLY (with sliding tracks) - GT/RALLY/CIRCUIT (with fixed brackets)

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	530	540	
B	910	930	
C	656	676	
D	472	502	
E	400	430	
F	290	290	
G	8,4	11,3	
INTERNAL SEAT DIMENSIONS (mm)			
G	316	337	357
H	349	364	384
I	541	546	566
L	368	417	437
M	317	325	325
N	670	656	656
Weight	10,9	13,8	13,5

SPARES AND ACCESSORIES



KF




MP

CPR

CL


FIXING BRACKETS



F4 GT/CIRCUIT



F5 CIRCUIT ONLY



SEE SCHEME ON PAGE 68

FLOOR FIXING

8862-2009



• CIRCUIT ONLY

• with sliding tracks

• Size: **M**

• Cod: **RFSEGT635DMN**



• Size: **L**

• Cod: **RFSEGT635DLN**



• Size: **XL**

• Cod: **RFSEGT635DXLN**



• GT/RALLY/CIRCUIT

• with fixed brackets

• Size: **M**

• Cod: **RFSEGT635MN**



• Size: **L**

• Cod: **RFSEGT635LN**



• Size: **XL**

• Cod: **RFSEGT635XLN**




GT-PRO XL 6-POINT

8862-2009

CIRCUIT ONLY

CARBON	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8862-2009



Sizes	
XL	
SHELL DIMENSIONS (mm)	
A	795
B	770
C	644
D	482
E	427
F	340
Ⓛ	9,3
INTERNAL SEAT DIMENSIONS (mm)	
G	346
H	350
I	510
L	372
M	350
N	512
Ⓜ	11



FIXING BRACKETS




F11



--

FLOOR FIXING



SEE SCHEME ON PAGE 68



• Size: XL

• Cod: RFSEGTPROXP6PN




MANUFACTURER: SABELT
MODEL: GT-PRO XL 6-POINT
HOM. NO: AS.087.20
FIA STANDARD: 8862-2009

GT-621

8862-2009

GT/RALLY/CIRCUIT

CARBON	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8862-2009



SIZES		
M	L	
SHELL DIMENSIONS (mm)		
A	567	
B	930	
C	611	
D	497	
E	409	
F	320	
	8,5	
INTERNAL SEAT DIMENSIONS (mm)		
G	331	361
H	348	378
I	495	525
L	335	365
M	350	350
N	642	642
	11,5	11,0

SPARES AND ACCESSORIES



KF



CPR




CL

FIXING BRACKETS



F6

FLOOR FIXING



SEE SCHEME ON PAGE 68



• Size: M

• Cod: RFSEGT621MN

 **APPROVED**

MANUFACTURER: SABELT
MODEL: GT-621
HOM. NO: AS.056.16
FIA STANDARD: 8862-2009

• Size: L

• Cod: RFSEGT621LN

 **APPROVED**


MANUFACTURER: SABELT
MODEL: GT-621
HOM. NO: AS.056.16
FIA STANDARD: 8862-2009

GT-E

8862-2009

CIRCUIT ONLY

CARBON	SHELL SIZE	FIXING	FIA
	M	BRACKETS	8862-2009



Sizes	
M	
SHELL DIMENSIONS (mm)	
A	580
B	890
C	595
D	540
E	418
F	320
👤	12,6
INTERNAL SEAT DIMENSIONS (mm)	
G	340
H	370
I	495
L	330
M	370
N	700
👤	15,0




FIXING BRACKETS



F10

FLOOR FIXING



SEE SCHEME ON PAGE 68

• Size: M

• Cod: RFSEGTE



APPROVED

MANUFACTURER: SABELT

MODEL: GT-E

HOM. NO: AS.071.18


FIA STANDARD: 8862-2009

GT-910

NASCAR

SFI 39.1

CARBON	SHELL SIZE	SFI
	M	39.1



Sizes	
M	
SHELL DIMENSIONS (mm)	
A	779
B	925
C	714
D	499
E	508
F	202
📏	19,0

Full Carbon, Textreme external layer (unique design).
Weight in compliance with new standards (42 lbs weight). Headrest included.
Low COG (center of gravity).
NASCAR Approved
(69G sled test - SFI homologation - NASCAR 2015 quasi-static test).
Shell made of seat + asymmetric headrest.
Designed along with one of the most prestigious NASCAR Team.
The seat is used and appreciated by several Top Drivers.





• Size:	M
• SHELL - Cod:	RFGT910M
• HEADREST - Cod:	RCGT911AM
• HEADREST+1" - Cod:	RCGT913AM

SPINE

8855-2021 **NEW**

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-2021



Sizes		
L	XL	
SHELL DIMENSIONS (mm)		
A	590	
B	924	
C	610	
D	508,5	
E	433,5	
F	290	
📏	9,5	
INTERNAL SEAT DIMENSIONS (mm)		
G	386,5	406,5
H	383,5	403,5
I	475	490
L	370	385
M	325	325
N	592	592
📏	11,5	11,3



COMING
S O O N
SIZE M




FIXING BRACKETS



F12

FLOOR FIXING



SEE SCHEME ON PAGE 68

• Size: **L**
• Cod: **RFSESPINEL**

FIA APPROVED

MANUFACTURER: SABELT
MODEL: SPINE
HOM. NO.:
FIA STANDARD: 8855-2021

• Size: **XL**
• Cod: **RFSESPINEXL**

FIA APPROVED

MANUFACTURER: SABELT
MODEL: SPINE
HOM. NO.:
FIA STANDARD: 8855-2021

GT-AM

8855-2021 **NEW**

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-2021




FIXING BRACKETS

FLOOR FIXING



F12



SEE SCHEME ON PAGE 68



• Size: **M**
• Cod: **RFSEGTAMM**

FIA APPROVED

MANUFACTURER: SABELT
MODEL: GT-AM
HOM. NO.:
FIA STANDARD: 8855-2021

• Size: **L**
• Cod: **RFSEGTAML**

FIA APPROVED

MANUFACTURER: SABELT
MODEL: GT-AM
HOM. NO.:
FIA STANDARD: 8855-2021

• Size: **XL**
• Cod: **RFSEGTAMXL**


FIA APPROVED

MANUFACTURER: SABELT
MODEL: GT-AM
HOM. NO.:
FIA STANDARD: 8855-2021

X-PAD CARBON

8855-1999

CARBON	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
Ⓛ	4,9
INTERNAL SEAT DIMENSIONS (mm)	
G	362
H	368
I	447
L	358
M	338
N	661
Ⓛ	6,3

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	L	RCXPADNR




FIXING BRACKETS



F1



F2



SEE SCHEME ON PAGE 68

FLOOR FIXING



• Size: L
• Cod: RFSEXPADCARBON

FIA APPROVED


MANUFACTURER: SABELT
MODEL: X-PAD CARBON
HOM. NO: CS.418.19
FIA STANDARD: 8855-1999

X-PAD RALLYCROSS

8855-1999

RALLYCROSS

FIBERGLASS	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
G	6,5
INTERNAL SEAT DIMENSIONS (mm)	
G	372
H	378
I	460
L	370
M	340
N	661
O	7,3

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
Black	L	RCXPADRCROSS3C

EXTRA 2 PADS 30 x 30 cm INCLUDED




FIXING BRACKETS



F1



F2



SEE SCHEME ON PAGE 68

FLOOR FIXING



• Size: L

• Cod: RFSEXPADRCROSS
(SEAT ONLY WITHOUT PADDING KIT)


FIA APPROVED

MANUFACTURER: SABELT
MODEL: X-PAD
HOM. NO: CS.419.19-
FIA STANDARD: 8855-1999

X-PAD

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
Ⓛ	6,0
INTERNAL SEAT DIMENSIONS (mm)	
G	362
H	368
I	447
L	358
M	338
N	661
Ⓜ	7,7

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	L	RCXPADNR




FIXING BRACKETS



F1



F2



SEE SCHEME ON PAGE 68

FLOOR FIXING



- Size: L
- Cod: RFSEXPADNR





MANUFACTURER: SABELT
MODEL: X-PAD
HOM. NO: CS.419.19
FIA STANDARD: 8855-1999

GT-PAD

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-1999



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A		744	
B		878	
C		670	
D		529	
E		471	
F		290	
G		8,9	
INTERNAL SEAT DIMENSIONS (mm)			
G	365	380	395
H	405	420	435
I	540	550	560
L	346	356	366
M	380	380	380
N	660	660	660
O	10,7	10,6	10,5

PAD KITS

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
Black	M	RCGTPADKITMN
Black	L	RCGTPADKITLN
Black	XL	RCGTPADKITXLN
Red	M	RCGTPADKITMR
Red	L	RCGTPADKITLR
Red	XL	RCGTPADKITXLR



ACCESSORIES



Lower cushion thickness 40 mm
RRGTPAD028

FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 68



* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: L

• Cod: RFSEGTPAD *


APPROVED

MANUFACTURER: SABELT
MODEL: GT-PAD
HOM. NO: CS.391.18
FIA STANDARD: 8855-1999

TAURUS

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	M - L - XL	BRACKETS	8855-1999



	Sizes		
	M	L	XL
SHELL DIMENSIONS (mm)			
A	543	550	586
B	925	979	980
C	579	582	588
D	475	481	519
E	377	392	411
F	290	290	290
G	8,4	9,0	9,7
INTERNAL SEAT DIMENSIONS (mm)			
G	300	318	326
H	364	373	393
I	486	501	512
L	345	362	393
M	341	357	394
N	685	717	716
O	10,5	11,4	11,4


SPARES AND ACCESSORIES



FIXING BRACKETS



FLOOR FIXING



SEE SCHEME ON PAGE 68



• Size: M

• Cod: RFSETAURUSMN

APPROVED

MANUFACTURER: SABELT
MODEL: TAURUS TG M
HOM. NO: CS.368.17
FIA STANDARD: 8855-1999

• Size: L

• Cod: RFSETAURUSN

APPROVED

MANUFACTURER: SABELT
MODEL: TAURUS
HOM. NO: CS.346.16
FIA STANDARD: 8855-1999

• Size: XL

• Cod: RFSETAURUSMAXN


APPROVED

MANUFACTURER: SABELT
MODEL: TAURUS MAX
HOM. NO: CS.347.16
FIA STANDARD: 8855-1999

TITAN CARBON

8855-1999

CARBON	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-1999



	Sizes	
	L	XL
SHELL DIMENSIONS (mm)		
A	559	
B	935	
C	603	
D	525	
E	418	
F	290	
G	4,9	
INTERNAL SEAT DIMENSIONS (mm)		
G	316	341
H	383	403
I	502	530
L	383	400
M	-	-
N	657	657
	7,1	6,9


SPARES AND ACCESSORIES



FIXING BRACKETS



FLOOR FIXING



SEE SCHEME ON PAGE 68



• Size: L

• Cod: RFSETITANCARBONN

APPROVED

MANUFACTURER: SABELT
MODEL: TITAN CARBON
HOM. NO: CS.370.17
FIA STANDARD: 8855-1999

• Size: XL

• Cod: RFSETITANCARBONMAXN


APPROVED

MANUFACTURER: SABELT
MODEL: TITAN CARBON
HOM. NO: CS.370.17
FIA STANDARD: 8855-1999

TITAN

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-1999



Sizes	
XL	
SHELL DIMENSIONS (mm)	
A	602
B	957
C	606
D	506
E	415
F	290
Ⓜ	7,8
INTERNAL SEAT DIMENSIONS (mm)	
G	313
H	367
I	517
L	379
M	-
N	690
Ⓜ	9,9

SPARES AND ACCESSORIES



FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 68



• Size: XL

• Cod: RFSETITANMAXN



APPROVED

MANUFACTURER: SABELT

MODEL: TITAN MAX


HOM. NO: CS.350.16

FIA STANDARD: 8855-1999

GT-3

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	460
B	920
C	592
D	539
E	416
F	290
📏	7,2
INTERNAL SEAT DIMENSIONS (mm)	
G	355
H	386
I	469
L	354
M	-
N	706
👤	9,8

SPARES AND ACCESSORIES



KP1



KP2



FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 68



Gel Coated shell

High density foam

Vep fabric

Low side

Separate leg cushion thickness 40 mm



Side fixings 290 mm

Lower cushion thickness 20 mm

• Size: L

• Cod: RFSEGT3N



APPROVED

MANUFACTURER: SABELT

MODEL: GT-3


HOM. NO: CS.355.17

FIA STANDARD: 8855-1999

RACER DUO

8855-1999

STEEL TUBE	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	463
B	890
C	582
D	489
E	422
F	290
⬇	10,0
INTERNAL SEAT DIMENSIONS (mm)	
G	324
H	377
I	509
L	374
M	-
N	637
⬆	12,0


SPARES AND ACCESSORIES



FIXING BRACKETS



FLOOR FIXING



SEE SCHEME ON PAGE 68



Tubular frame



Vep fabric

Low side

Separate leg cushion
thickness 40 mm

N°4 Bottom fixings
270 x 345 mm

Side fixings
290 mm

• Size: L

• Cod: RFSEACERN



MANUFACTURER: SABELT
MODEL: RACER DUO
HOM. NO: CS.387.17
FIA STANDARD: 8855-1999